ZFF ZAUDIO®



- TOWER SPEAKER
- TROLLEY SPEAKER
- CUBE SPEAKER
- MULTIMEDIA SPEAKER
- CUBE AMPLIFIER
- BASE TUBE
- SOUND BAR
- MIXER & CONTROLLER
- UHF MIC / DC FANS

— JULY-2026 —


ZEE
AUDIO®

ZEE AUDIO, a unit of York Sales Corporation, is engaged in the trading and supply of audio, entertainment and selected utility products. The company offers a diverse range of sound solutions designed for homes, retail establishments, commercial spaces, events, institutions and outdoor applications.

Our product portfolio includes tower speakers, trolley speakers, cube speakers, multimedia speakers, cube amplifiers, bass tubes, sound bars, mixers and controllers, UHF microphones and DC fans.

At ZEE AUDIO, we focus on offering practical, attractive and value-oriented products that meet the changing requirements of today's customers. Our wide product range enables dealers, distributors, retailers and commercial buyers to source multiple audio categories through one dependable business channel.

OUR VISION

To establish ZEE AUDIO as a trusted and widely recognized name in the audio and entertainment industry by offering relevant products, dependable service and long-term value to customers and business partners.

OUR MISSION

Our mission is to provide suitable audio and entertainment solutions for different applications, customer preferences and budgets.

We aim to achieve this through:

- A diverse and market-relevant product portfolio
- Consistent product availability
- Clear and transparent business communication
- Responsive customer and dealer support
- Competitive and value-oriented solutions
- Long-term relationships with channel partners

ZEE AUDIO, a unit of York Sales Corporation, trades in tower, trolley, cube and multimedia speakers, cube amplifiers, bass tubes, sound bars, mixers, controllers, UHF microphones and DC fans.
Our versatile product range serves homes, offices, retail outlets, institutions, events, public-address systems and commercial entertainment applications.
We offer market-relevant products that combine powerful performance, modern design, useful connectivity, easy operation and excellent commercial value.
With reliable service, clear communication and responsive support, we build lasting relationships with dealers, distributors, retailers and institutional buyers.
ZEE AUDIO — Powerful Sound. Practical Solutions. Stronger Connections.



ZEE AUDIO®

Portable Multimedia Tower System

10000W
P.M.P.O

BOXER
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	6.5" x One Unit
Speaker Driver	:	4" x One Unit
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	610 x 154 x 245mm

15000W
P.M.P.C

TWISTER
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x One Unit
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	715 x 336 x 150

15000W
P.M.P.O

CHALLENGER
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	715 x 336 x 150

18000W
P.M.P.O

SMARTY
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	820 x 193 x 255mm



ZEE ZAUDIO®

Portable Multimedia Tower Speaker

18000W
P.M.P.O

BOLT
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	820 x 193 x 255mm

20000W
P.M.P.C

PUNCH
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x One Unit
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	820 x 228 x 280MM

22000W
P.M.P.O

DOUBLE DECKER
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	915 x 310 x 310mm

100W
P.M.P.C

RAMBO
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	32" / 800mm Height



ZEE AUDIO®

Portable Multimedia Tower Speaker

70W
P.M.P.O

HT-1010
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

70W
P.M.P.O

HT-1020
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

70W
P.M.P.O

HT-1030
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

70W
P.M.P.O

HT-1040
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height



ZEE ZAUDIO®

Portable Multimedia Tower Speaker

PATHAN

Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SINGHAM

Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

400W

P.M.P.O

ZZA-S18

Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

4001

Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

ZEE AUDIO®

Portable Multimedia Tower Speaker

4000W
P.M.P.O

4002
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

22000W
P.M.P.C

BIRA
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

7500W
P.M.P.O

HITLER
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

25000W
P.M.P.O

4001
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height



ZEE AUDIO®

Portable Multimedia Tower Speaker

240W
P.M.P.O

ZA-D12
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- Two Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

240W
P.M.P.C

ZA-S15
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- Two Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

140W
P.M.P.C

CARNIVAL
Smart Multimedia Tower Speaker





- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

300W
P.M.P.O

ZA-D15
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- Two Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height



ZEE AUDIO®

Portable Multimedia Tower Speaker

18000W
P.M.P.O

FUSION
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

18000W
P.M.P.C

HUMMER
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

23000W
P.M.P.O

WARRIOR
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	10 x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	927x343x305mm

25000W
P.M.P.O

D-808
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	10" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	927x355x305mm



ZEE ZAUDIO®

Portable Multimedia Tower Speaker

25000W
P.M.P.O



ROCKSTAR
Smart Multimedia Tower Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	10" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	890x350x320mm

35000W
P.M.P.C



BADSHAH
Smart Multimedia Tower Speaker

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	12" x Two Units
Speaker Driver	:	4" x Two Units
Tweeter Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	1097x357x380MM

JB
Smart Multimedia Tower Speaker



190W
P.M.P.O

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PHANTOM
Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE AUDIO®

Portable Multimedia Tower Speaker

NOVA

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SONATA

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

AURA

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SPECTRUM

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker



PULSE

Professional Trolley Speakers

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



SURGE

Speaker Box

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



TREMOR

Speaker Box

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



PUNCH

Speaker Box

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker

VELOCITY

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZENITH

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

FUSION

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SMITH

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker

GRANDE

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PRIME

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

MONARCH

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SUPREME

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker

VOGUE

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ELITE

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

CROWN

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

REGAL

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker

MAJESTIC

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

IMPERIAL

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ROLEX

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

STORM

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Tower Speaker



TITAN

Professional Trolley Speakers

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



BLAZE

Speaker Box

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



SPARKLE

Speaker Box

- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Trolley Speaker

120W P.M.P.O

DIAMOND
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	12"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	

80W P.M.P.O

PARTY BOX
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	10" + 3" + 3"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	

100W P.M.P.O

1200
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	12"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

160W P.M.P.O

1212
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Trolley Speaker

X3

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	4"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	455x290x245mm

80W

P.M.P.O

8" RGB CORDLESS

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	4"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	455x290x245mm

60W

P.M.P.O

CURVE

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	4"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	455x290x245mm

60W

P.M.P.O

EPIC

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	3"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	455x290x245mm

ZEE ZAUDIO®

Portable Multimedia Trolley Speaker

200W
P.M.P.C

JAMBO
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	36" / 900mm Height

70W
P.M.P.O

J-11
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

70W
P.M.P.O

J-14
Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

70W
P.M.P.O

J-21
Multimedia Trolley Speaker
WIRED MIC



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE ZAUDIO®

Portable Multimedia Trolley Speaker

J-24

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

J-26

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	24" / 600mm Height

X-2

Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

B-44

Multimedia Trolley Speaker

WIRED MIC



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	5.25" x One Unit
Speaker Driver	:	3" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE ZAUDIO®

Portable Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

ULTIMA
Professional Trolley Speakers

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

DIGITAL DUAL
Multimedia Trolley Speaker

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

100W
P.M.P.O



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

BASS BOOST
Multimedia Trolley Speaker

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

80W
P.M.P.O

ZEE AUDIO®

Portable Multimedia Trolley Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

JB
Multimedia Trolley Speaker

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

60W
P.M.P.O



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

1008
Multimedia Trolley Speaker

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

25W
P.M.P.O



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

1009
Multimedia Trolley Speaker

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

25W
P.M.P.O



ZEE ZAUDIO®

Portable Multimedia Cube Speaker

KARAOKE

Multimedia Cube Speaker

KRAZE



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

CUVE 82

Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	10" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	890x350x320mm

CUBE AMPLIFIER

Portable Cube Amplifier



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

J-12

Multimedia Speaker



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PANTHER

Speaker Box



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE ZAUDIO®

Portable Multimedia Cube Speaker

80W
P.M.P.O

ECHO
Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	10" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	890x350x320mm

60W
P.M.P.O

DOLBY
Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	10" x Two Units
Speaker Driver	:	4" x Two Units
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	890x350x320mm

100W
P.M.P.O

BLAST
Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	4"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

60W
P.M.P.O

JB
Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	3"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE AUDIO®

Portable Cube Amplifier

NEXA

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

APEX

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

SONEX

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

VOXEN

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Cube Amplifier

SAFARI

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

VOLCANO

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ELEVATE

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ARION

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Cube Amplifier

FIREBEAT

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ROCKSTAR

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

RIDER

Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PARTY X

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Cube Amplifier

VORTEX

Professional Trolley Speakers



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

RAPTOR

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

XOLO

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE ZAUDIO®

Portable Multimedia Speaker

60W
P.M.P.O

SURROUND
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PICNIC BOX
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

BLAZER
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

80W
P.M.P.O

1224
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE ZAUDIO®

Portable Multimedia Speaker

J-10

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

J8

Multimedia Cube Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Woofer Driver	:	8" x One Unit
Tweeter Driver	:	3"
Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz
Dimension	:	455x290x245mm

J-20

Multimedia Speaker

WIRED MIC



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM
- One Wireless Mic

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

010

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Speaker

023

Multimedia Speaker




- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

JUMBO

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

PATAKA

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

BENLEY

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Speaker

0021

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

605

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

BOOM

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

888

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE ZAUDIO®

Portable Multimedia Speaker

FX-001

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

0014

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

0016

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

0018

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE AUDIO®

Portable Multimedia Speaker

JALI

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

60W

P.M.P.O

0017

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

111

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

222

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Speaker

RHINO

Speaker Box



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

105

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

0020

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

JAGUAR

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE ZAUDIO®

Portable Multimedia Speaker

90

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

P-333

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

K

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

052

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM


Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Speaker

1000

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

20-20

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

FX-004

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

1100

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Portable Multimedia Speaker

50-50

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

007

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

TOOFAN

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

DJ

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE ZAUDIO®

Portable Multimedia Speaker

1050

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

POINT

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

MODEL 888

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

TIGER

Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE ZAUDIO®

Portable Multimedia Speaker
Multimedia Home Theatre

09
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

010
Multimedia Speaker



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

411
Home Theatre



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

Q-55
Home Theatre



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

900

Base Tube



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

TORQUE

Base Tube



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

BOOMER

Base Tube



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

QUAKE

Base Tube



Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz



ZEE AUDIO®

Portable Multimedia Sound Bar

70W
P.M.P.O

SB-32
Sound Bar



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

70W
P.M.P.O

DYNAMIC
Sound Bar



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

100W
P.M.P.O

ZX CORDLESS
Sound Bar



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

20W
P.M.P.O

RV-360
Sound Bar



- Bluetooth Compatible
- Remote Control
- Mic with Karaoke
- Mp3 / USB / FM

Frequency	:	40Hz-20KHz
S/N Ration	:	70db Separation 40db
FM Frequency	:	88MHz to108MHz
Power Supply	:	AC 200V ~ 240V/50Hz

ZEE AUDIO®

Professional Digital Audio Mixer with Echo Effects

ECHO

Digital Audio Mixer



ECHOZ

Digital Audio Mixer



Connectivity Technology	:	Auxiliary, Bluetooth, USB
Power Source Type	:	Corded Electric
Output Connector Type	:	USB
Audio Input	:	XLR
Voltage	:	220 Volts

Professional Digital Audio Mixer with Echo Effects Elevate your sound and take control of your audio with the Professional Digital Audio Mixer with Echo Effects. Perfectly designed for DJs, events, weddings, karaoke, and studio recordings, this high-performance mixer provides an immersive audio experience with enhanced echo and sound effects. Whether you're hosting a party, performing on stage, or recording in the studio, this mixer delivers crystal-clear, professional-quality sound.



ST-27

STAGE MIC



UHF MIC

STAGE WIRELESS MIC



UHF MIC

STAGE WIRELESS MIC



UHF MIC

STAGE WIRELESS MIC



DLX SUPER 27

STAGE WIRELESS MIC



DLX SUPER 9

STAGE WIRELESS MIC



DLX SUPER 8

STAGE WIRELESS MIC



DLX SUPER 45

STAGE WIRELESS



DLX SUPER 36

STAGE WIRELESS



7 SOCKETS + 7 SWITCH

POWER STRIP 6AMP. 240V. AC,



7 SOCKETS + 1 SWITCH

POWER STRIP 6AMP. 240V. AC,



FLEX CORD ROUND



GANG BOX



200W GANG BOX

3 USB PORTS + 36 LED LIGHTS



GANG BOX



GANG BOX

ZEE ZAUDIO®

SATELLITE RECEIVERS / BROADCAST / DC FANS



DIGITAL
SATELLITE RECEIVER



USB DIGITAL
SATELLITE RECEIVER



USB DIGITAL
SATELLITE RECEIVER



USB DIGITAL
SATELLITE RECEIVER



SONIC
1200mAH BATTERY / 300W OUTPUT



MEGA PHONE
5.0



SUH-40
AHUJA MODEL




SUH-115



ZA CHARGE
1200mAH BATTERY / 300W OUTPUT




AP-12"
PORTABLE TABLE FAN



AP-12 PLAIN
PORTABLE TABLE FAN



AC/DC-FAN12
PORTABLE TABLE FAN



AP-12 ROTARY
PORTABLE TABLE FAN



AP-9"
PORTABLE TABLE FAN



AP-10"
PORTABLE TABLE FAN



AC/DC-FAN12
PORTABLE TABLE FAN



TABLE FAN
PORTABLE TABLE FAN



TABLE FAN-333
PORTABLE TABLE FAN



TABLE FAN-444
PORTABLE TABLE FAN



AP-14"
PORTABLE TABLE FAN

ZEE AUDIO®

PUBLIC ADDRESS DRIVERS
BUS AUDIO SYSTEM



UDU-55

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	16 Ohm
Magnet	:	100x15/17
Input Power	:	55W RMS / 75W MAX
Material	:	Aluminium Head



UDU-60

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	16 Ohm
Magnet	:	100x17/20
Input Power	:	55W RMS / 75W MAX
Material	:	Aluminium Head



UDU-70

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	16 Ohm
Magnet	:	100x17/20
Input Power	:	70W RMS / 75W MAX
Material	:	Aluminium Head



UDU-85

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	16 Ohm
Magnet	:	100x17/20
Input Power	:	80W RMS / 85W MAX
Material	:	Aluminium Head



UDU-100

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	16 Ohm
Magnet	:	100x17/20
Input Power	:	100W RMS / 150W MAX
Material	:	Aluminium Head



UE-40XT

PUBLIC ADDRESS DRIVER

Throat Coupling	:	1-3 / 8"
Impedance	:	100v Line Ohm
Magnet	:	100x15/17
Input Power	:	40W RMS / 75W MAX
Material	:	Aluminium Head



Z-224

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



Z-950

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



Z-5100

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



Z-444

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



Z-960

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



Z-910

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity



SLIM

BUS AUDIO SYSTEM

- LED Display
- USB Playback
- Remote Control
- Bass / Treble Control
- Bluetooth Connectivity

ZEE AUDIO®



SCM-10-T

PUBLIC ADDRESS DRIVER



SCM-15-T

PUBLIC ADDRESS DRIVER



TRANSFORMER

VACUUM IMPREGNATED



DC POWER

5AMP. ELIMINATOR



USB CHARGER



USB CHARGER

PUBLIC ADDRESS DRIVER



PANEL

WITH REMOTE



SOLAR

SOLAR POWER SYSTEM



PANEL

WITH REMOTE



MINI POWER

MINI POWER & LIGHT SYSTEM



CONVERTER

OVER-LOAD- AUTO CUT

DUAL CHANNEL POWER AMPLIFIERS

EX SERIES



MODEL	EX-8500	EX-7500	EX-6500	EX-5500	EX-5000
8Ω Stereo Power	2 x 2000W	2x1800W	2x1500W	2x1300W	2x1100W
4Ω Stereo Power	2 x 3000W	2x2700W	2x2300W	2x2000W	2x1700W
2Ω Stereo Power	2 x 4000W	2x3600W	2x3100W	2x2700W	2x2300W
8Ω BTL	6300W	5800W	4700W	4100W	3500W
4Ω BTL	8500W	7100W	6400W	5500W	4700W
OUTPUT CIRCUITRY	CLASS H				
FREQUENCY RESPONSE	20-20000Hz(±0.3dB)				
THD + N	<0.08%1KHz				
S/N RATIO	≥100dB				
SLEW RATIO	25V/uS				
DAMPING FACTOR	≥950:1				
CROSSTALK	≥62dB@1KHz				
INPUT IMPEDANCE	20KΩ(Balanced,Stereo) /10KΩ(Unbalanced,Paralled)				
INPUT SENSITIVITY	0.775V/1.0V/1.4V				
HEIGHT	3U	2U	3U	3U	3U
WEIGHT	47Kg.	46Kg.	44.5Kg.	42.5Kg.	40.5Kg.
PACKING SIZE	770x590x210	770x590x210	770x590x210	730x590x210	730x590x210

Protection
with over-current, DC, overheat,
short circuit protections,
the main power protected
by fuse, to ensure the safety
of the whole unit,
to enable users using it
more safely and securely

PROFESSIONAL BOOSTER AMPLIFIERS

EBA BT SERIES





MODEL	EBA-600 BT	EBA-1000 BT	EBA-1200 BT	EBA-1600 BT
POWER OUTPUT	650W RMS	1000W RMS	1250W RMS	1600W RMS
INPUT CHANNEL	1 x Line 1V / 200mV / 10kΩ Swicthable			
OUTPUT CHANNEL	1 x Line 1V / 1KΩ			
FREQUENCY RESPONSE	50 - 15k Hz ± 3dB			
TONE CONTROL	Bass :±10dB at 100Hz			
	Mid: ± 10dB at 100Hz			
	Treble: ± 10dB at 10K Hz			
SPEAKER OUTPUT	2Ω, 4Ω, 70V & 100V			
POWER SUPPLY	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)			
MULTIMEDIA PLAYER	MP3 PLAYER WITH RECORDER / BLUETOOTH / USB / MMC / REMOTE CONTROL			
FM RECEIVER	88 - 108 MKz TUNNING RANGE			
RACK SIZE	3U	3U	3U	3U

PROFESSIONAL BOOSTER AMPLIFIERS

EBA SERIES



MODEL	EBA-600	EBA-1000	EBA-1200	EBA-1600
POWER OUTPUT	650W RMS	1000W RMS	1250W RMS	1600W RMS
INPUT CHANNEL	1 x Line 1V / 200mV / 10kΩ Swicthable			
OUTPUT CHANNEL	1 x Line 1V / 1KΩ			
FREQUENCY RESPONSE	50 - 15k Hz ± 3dB			
TONE CONTROL	Bass :±10dB at 100Hz			
	Mid: ± 10dB at 100Hz			
	Treble: ± 10dB at 10K Hz			
SPEAKER OUTPUT	2Ω, 4Ω, 70V & 100V			
POWER SUPPLY	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)			
RACK SIZE	3U	3U	3U	3U

- Box Speaker / Driver Unit Selector Switch.
- Ideal for Large Operation, where High Power Output is Required.
- Resettable circuit breaker for protection against overload and short circuit.

P. A. MIXER AMPLIFIERS

USB 350 FAN



Power Output	:	350 Watts RMS at 10% THD 450 Watts Max.		
Input Channels	:	MIC:6 mic 0.65 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.		
Freq. Resp.	:	50 - 15k Hz ± 3dB		
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz		
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V		
Line Output	:	Line Out IV/1kΩ	Preamp Out	: 200mV / 600Ω
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)		
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control		
FM Receiver	:	88 - 108 MHz Tuning range		
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms		
Dimension	:	L 525 x W 397 x H 210 mm		
Weight	:	GW-16.350 gsm.		

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*



TWO ZONE P. A. AMPLIFIERS

TZA 4000 USB



Power Output	:	300W+300 Max., 600W RMS at 10% THD 450 Watts Max.
	:	180W + 180W at 5% TDS 165W + 165W at 2% TDS
Output Regulation	:	<2dB, No Load to full load at 1 Khz
Input Channels	:	MIC:6 mic 0.6 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15000 Hz ± 3dB
Signal to Noise Ratio	:	60dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Output	:	Preamp 200mV / 600Ω, Line 1V/1kΩ
Speaker Output	:	4Ω, 8Ω, 70V & 100V
Digital Receiver	:	Mp3 Player / Recorder with Bluetooth / USB / MMC / SD with Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)
Power Consumption	:	AC 700VA DC: 9A
Dimensions	:	W510 x H172 x D385
Weight	:	24 Kg

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*

P. A. MIXER AMPLIFIERS

USB 5000 M



Power Output	:	500 Watts RMS at 10% THD 750 Watts Max.		
Input Channels	:	MIC:7 mic 0.8 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.		
Freq. Resp.	:	50 - 15k Hz ± 3dB		
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz		
Speaker Output	:	4Ω, 8Ω, 70V & 100V		
Line Output	:	Line Out IV/1kΩ	Preamp Out	: 200mV / 600Ω
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 36V (3 Car Battery)		
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control		
FM Receiver	:	88 - 108 MHz Tuning range		
Dimension	:	W510 x H172 x D385		
Weight	:	22 Kg		

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*

ZEE AUDIO®

P. A. MIXER AMPLIFIERS

USB 3500 FM



Power Output	:	350 Watts RMS at 10% THD 450 Watts Max.		
Input Channels	:	MIC:6 mic 0.65 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.		
Freq. Resp.	:	50 - 15k Hz ± 3dB		
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz		
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V		
Line Output	:	Line Out IV/1kΩ	Preamp Out	: 200mV / 600Ω
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)		
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control		
FM Receiver	:	88 - 108 MHz Tuning range		
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms		
Dimension	:	L 525 x W 397 x H 210 mm		
Weight	:	GW-16.350 gsm.		

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*



P. A. MIXER AMPLIFIERS

USB 2500 FM



Power Output	:	250 Watts RMS at 10% THD 300 Watts Max.
Input Channels	:	MIC:6 mic 0.65 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15k Hz ± 3dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V
Line Output	:	Line Out IV/1kΩ
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms
Dimension	:	L 525 x W 397 x H 210 mm
Weight	:	GW-16.350 gsm.

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*



ZEE AUDIO®

P. A. MIXER AMPLIFIERS

USB 1600 FM



Power Output	:	160 Watts RMS at 10% THD 220 Watts Max.
Input Channels	:	MIC:5 mic 0.65 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15k Hz ± 3dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V
Line Output	:	Line Out IV/1kΩ
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 24V (2 Car Battery)
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms
Dimension	:	L 510 x W 375 x H 225 mm
Weight	:	GW-13.100 gsm.

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*



P. A. MIXER AMPLIFIERS

USB 1200 FM



Power Output	:	120 Watts RMS at 10% THD 160 Watts Max.
Input Channels	:	MIC:5 mic 0.65 mV/4.7KΩ. AUX: 2 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15k Hz ± 3dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V
Line Output	:	Line Out IV/1kΩ
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 12V (12V Car Battery)
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms
Dimension	:	L 510 x W 375 x H 225 mm
Weight	:	GW-13.100 gsm.

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*



ZEE AUDIO®

P. A. MIXER AMPLIFIERS

USB 800 FM



Power Output	:	80 Watts RMS at 10% THD 100 Watts Max.
Input Channels	:	MIC:4 mic 0.65 mV/4.7KΩ. AUX: 1 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15k Hz ± 3dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Speaker Output	:	4Ω, 8Ω, 16Ω , 70V & 100V
Line Output	:	IV/1kΩ
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 12V (12V Car Battery)
Multimedia Player/Rec	:	MP3 Player / Recorder with Bluetooth / USB / MMC / SD With Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms Delay Time : 20ms to 600ms
Dimension	:	L 440 x W 360 x H 160 mm
Weight	:	GW-7.200 gsm.

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*

P. A. MIXER AMPLIFIERS

USB 560 FM



Power Output	:	60 Watts RMS at 10% THD 80 Watts Max.
Input Channels	:	MIC:3 mic 0.65 mV/4.7KΩ. AUX: 1 x AUX 100mV / 470kΩ.
Freq. Resp.	:	50 - 15k Hz ± 3dB
Tone Cantrols	:	Bass :±10dB at 100Hz Treble: ± 10dB at 10K Hz
Speaker Output	:	4Ω, 8Ω, 16Ω , 100V
Line Output	:	IV/1kΩ
Power Supply	:	AC : 220 - 240 V 50/60 Hz DC: 12V (12V Car Battery)
Multimedia Player/Rec	:	MP3 Player/Recorder with Bluetooth/USB/MMC/SD With Remote Control
FM Receiver	:	88 - 108 MHz Tuning range
Echo Reverb System	:	60ms to 300ms, 300ms to 500ms, 500 ms to 650ms
Dimension	:	L 380 x W 363 x H 145 mm
Weight	:	GW-5.600 gsm.

Power tested under the condition of 20ms burst, 1KHz sine wave and 1% THD. Others power tested under the condition of 40ms burst, 1KHz sine wave and 1% THD.

ABL PRO reserves the right to make any changes to the product specifications without prior notice. Final specifications to be found in the user manual.

- *Applications with signal processing requirements.*

@ZEE.AUDIO_

NEVER STOP BELIEVING



ZEE AUDIO®

+91 88003 40032

zee.audio7299@gmail.com

YORK SALES CORPORATION
1487/1, B.K. Building, Moti Cinema
Compound, Chandni Chowk, Delhi-110 006 INDIA